


[Web](#) [Images](#) [Groups](#) [News](#) [Froogle](#) [more »](#)


[Advanced Search](#)  
[Preferences](#)

**Web** Results 1 - 100 of about **4,950** for **assertion graph label strengthen**. (0.46 seconds)

**[PS]** Deductive Model Checking

File Format: Adobe PostScript - [View as Text](#)

... we can use a finite-state **assertion** language A ... transformation reduces the size of the **graphs** under consideration ... to a transition, denoted by its **label**; thus, T ...  
[theory.stanford.edu/~zm/papers/cav96dmc.ps.Z](http://theory.stanford.edu/~zm/papers/cav96dmc.ps.Z) - [Similar pages](#)

**[PS]** Visual Verification of Reactive Systems

File Format: Adobe PostScript - [View as Text](#)

... Rule 3 (vertex **strengthen**). ... the **label**  $\_ (v. i. \dots$  These methods generate invariants by propagating pre- and post-conditions over **assertion graphs**, which are diagrams ...

[theory.stanford.edu/~zm/papers/tacas97.ps.Z](http://theory.stanford.edu/~zm/papers/tacas97.ps.Z) - [Similar pages](#)

[ [More results from theory.stanford.edu](#) ]

**[PDF]** Generalized Symbolic Trajectory Evaluation — Abstraction in ...

File Format: PDF/Adobe Acrobat

... In general, we define a GSTE **assertion graph** as a quintuple  $G = (V, v_0, E, ant \dots$  and ant and cons are functions that map each edge to an antecedent **label** and a ...  
[www.springerlink.com/index/4EK5CLH8U19XNE43.pdf](http://www.springerlink.com/index/4EK5CLH8U19XNE43.pdf) - [Similar pages](#)

**[PDF]** Algorithmica

File Format: PDF/Adobe Acrobat

... along paths in a tree with edges **labeled** by elements of ...  $a \in$  and for  $i = 1, \dots$

I. A **graph**  $G$ , viewed ... The **assertion** that  $G$  satisfies under an assignment  $\sigma$  ...  
[www.springerlink.com/index/1Q3C14K3UVGYFACU.pdf](http://www.springerlink.com/index/1Q3C14K3UVGYFACU.pdf) - [Similar pages](#)

[ [More results from www.springerlink.com](#) ]

**[PDF]** The Monadic Second-Order Logic of **Graphs** XV: On a Conjecture by D. ...

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... Cou04]). The clique-width of a **graph** is the minimum cardinality of a set of **labels**  $C$  making it possible to construct this **graph**. The ...

[www.labri.fr/Perso/~courcell/Textes/MSOL15-submitted\(2004\).pdf](http://www.labri.fr/Perso/~courcell/Textes/MSOL15-submitted(2004).pdf) - [Similar pages](#)

**[PDF]** Reflection positivity, rank connectivity, and homomorphism of ...

File Format: PDF/Adobe Acrobat - [View as HTML](#)

...  $k$ ) is positive semidefinite, but we can **strengthen** it as ... Let us call a  $(k + 1)$ -**labeled graph** separated, if ... of it contains either only nodes with **label** at most  $k$  ...

[research.microsoft.com/users/lovasz/hom.pdf](http://research.microsoft.com/users/lovasz/hom.pdf) - [Similar pages](#)

[PDF] On the asymmetry of random regular **graphs** and random **graphs**File Format: PDF/Adobe Acrobat - [View as HTML](#)... of **graphs** in these two models are **labeled** and in ... X depends only on the edges of the**graph** adjacent to ... at most 1. Hence X satisfies the **assertion** of Proposition ...research.microsoft.com/theory/ jehkim/2001papers/asymetry.pdf - [Similar pages](#)[ [More results from research.microsoft.com](#) ][PDF] A TIME-SPACE TRADEOFF FOR UNDIRECTED **GRAPH** TRAVERSAL BY WALKING ...File Format: PDF/Adobe Acrobat - [View as HTML](#)... The adversary simulates M on this partial **graph** until M attempts to move some pebble p out of an entry point using a **label** for which no edge is yet defined. ...epubs.siam.org/sam-bin/ getfile/SICOMP/articles/28294.pdf - [Similar pages](#)[PDF] Inferring large gene networks from microarray data: a constraint ...File Format: PDF/Adobe Acrobat - [View as HTML](#)...  $X, Y) = \emptyset$ . 2. Refine the undirected **graph** by conditional ... increasing order of their minimal p-**labels** 5 min ... collider test add the positive **assertion**  $X * \rightarrow Y$  ...www.ai.ici.ro/papers/ijcai03-ws.pdf - [Similar pages](#)[PS] A Systematic Approach to Parallel Program VerificationFile Format: Adobe PostScript - [View as Text](#)... g for any **label** , in S. 1. ... The proof **graph** is given in Fig ... Also we assume the global **assertion** that x and y take only three values 0, 1 and 1=2 applies everywhere ...www.cosc.canterbury.ac.nz/~tad/sys\_1col.ps - [Similar pages](#)[PS] Reflection positivity, rank connectivity, andFile Format: Adobe PostScript - [View as Text](#)... f, k) is positive semidefinite, but we can **strengthen** it as ...  $T \setminus S$ . For  $|T \setminus S| =$ 1 the **assertion** is trivial ... Consider now any V -**labeled graph** G with  $V(G) = V$  ...homepages.cwi.nl/~lex/files/hom6n.ps - [Similar pages](#)RDF Semantics... rdfs:**label** rdfs:range rdfs:Literal ... no way to impose this condition by any RDF **assertion** or syntactic ... A D-interpretation of a **graph** G is an rdfs-interpretation ...www.w3.org/TR/2003/WD-rdf-mt-20030123/ - 101k - [Cached](#) - [Similar pages](#)[PDF] Using Theorem Proving with Algorithmic Techniques for Large-scale ...File Format: PDF/Adobe Acrobat - [View as HTML](#)... A function **label** that maps a state to a ... Example: Continued We **strengthen** the invariant by a simple ... specified not as formulas but in terms of **assertion graphs**. ...www.cs.utexas.edu/users/moore/ acl2/seminar/2003.10.29-sandip/slide.pdf - [Similar pages](#)[PS] Using Theorem Proving with Algorithmic Techniques forFile Format: Adobe PostScript - [View as Text](#)... rules on system models to produce and **strengthen** invariants. ... of a path if a is in

the **label** of the ... The **assertion graph** specifies the set of "correct executions

...

[www.cs.utexas.edu/users/moore/acl2/seminar/2003.10.29-sandip/proposal.ps](http://www.cs.utexas.edu/users/moore/acl2/seminar/2003.10.29-sandip/proposal.ps) -

[Similar pages](#)

[ [More results from www.cs.utexas.edu](http://www.cs.utexas.edu) ]

### [PDF] [Introduction to Generalized Symbolic Trajectory Evaluation](#)

File Format: PDF/Adobe Acrobat

... in Figure 5 will not satisfy this **assertion graph**, since the ... will eventually violate the antecedent **label** on 'U ... when it reaches the right end of the **graph**. ...

[doi.ieeecomputersociety.org/10.1109/ICCD.2001.955052](http://doi.ieeecomputersociety.org/10.1109/ICCD.2001.955052) - [Similar pages](#)

### [A Development Environment for Complex Distributed Real-Time ...](#)

... The **label** read\_stat is used to reference ... analysis facilitation,

constraint/**assertion**

relaxation, optimization ... dependence representation, and the call **graph**. ...

[doi.ieeecomputersociety.org/10.1109/32.748918](http://doi.ieeecomputersociety.org/10.1109/32.748918) - [Similar pages](#)

[ [More results from doi.ieeecomputersociety.org](http://doi.ieeecomputersociety.org) ]

### [PS] [1-46 \(\) c fl](#)

File Format: Adobe PostScript - [View as Text](#)

... vertex **label**, edge **label**, or **assertion** of equivalence at ... Classic descriptions whose equivalence **graphs** have the ... determined by a partitioning of edge **labels**. 4. ...

[www-sal.cs.uiuc.edu/~pitt/Papers/classic.ps](http://www-sal.cs.uiuc.edu/~pitt/Papers/classic.ps) - [Similar pages](#)

### [PS] [Solvability of Graph Inequalities](#) Marcus Schaefer

File Format: Adobe PostScript - [View as Text](#)

... length between uS and vS for which the **assertion** has not ... Our decidability result for **graph** inequalities with one variable (and one **labeled** vertex) shows ...

[ovid.cs.depaul.edu/documents/graph.ps](http://ovid.cs.depaul.edu/documents/graph.ps) - [Similar pages](#)

### [doc] [Section Three](#)

File Format: Microsoft Word 97 - [View as HTML](#)

... **Assertion**-reason - user is asked to assess the quality of evidence for a statement; ...

Move object types (text/**graphics**): **Label** diagram - up to 18 **labels** in group ...

[www.gees.ac.uk/essd/3module.doc](http://www.gees.ac.uk/essd/3module.doc) - [Similar pages](#)

### [PDF] [Equivariant Cohomology, Homogeneous Spaces and Graphs](#) Tara Suzanne

...

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... Their method associates to this orbit space a **graph**  $\Gamma$  whose vertices are the zero-dimensional orbits and edges the connected components of the set of one ...

[math.berkeley.edu/~tsh/TEMP/thesis.pdf](http://math.berkeley.edu/~tsh/TEMP/thesis.pdf) - [Similar pages](#)

### [PDF] [Deductive Model Checking \\*](#)

File Format: PDF/Adobe Acrobat

... or an edge is removed from the **graph**), replace it by ... checking the satisfiability of formulas in the **assertion** language, they ... M , N 2 with the same **label**, for M ...

[www.kluweronline.com/article.asp?PIPS=207108&PDF=1](http://www.kluweronline.com/article.asp?PIPS=207108&PDF=1) - [Similar pages](#)

**[PDF] Learning**

File Format: PDF/Adobe Acrobat

... and negative examples of size at most  $n$ . A learning algorithm draws random examples

according to the distribu- tion, with each example **labeled** as positive or ...

[www.kluweronline.com/article.asp?PIPS=118342&PDF=1](http://www.kluweronline.com/article.asp?PIPS=118342&PDF=1) - [Similar pages](#)

[ [More results from www.kluweronline.com](#) ]

**[PDF] A GENERALIZATION OF A RAMSEY-TYPE THEOREM ON HYPERMATCHINGS 1. ...**

File Format: PDF/Adobe Acrobat - [View as HTML](#)

...  $G) < I$ , ie  $G$  does not contain a complete **graph** on  $I$  ...  $2n - 1$  elements of  $W$  which satisfy the second **assertion** of the ... one of the  $T_i$ , which we shall **label**  $T_{\sigma(j)}$  ...

[www.andrew.cmu.edu/user/paulb2/Papers/Idaho.pdf](http://www.andrew.cmu.edu/user/paulb2/Papers/Idaho.pdf) - [Similar pages](#)

**[PS] A GENERALIZATION OF A RAMSEY-TYPE THEOREM ON**

File Format: Adobe PostScript - [View as Text](#)

...  $G) < I$ , ie  $G$  does not contain a complete **graph** on  $I$  ... 1 elements of  $W$  which satisfy

the second **assertion** of the ... precisely one of the  $T_i$ , which we shall **label**  $T_{\sigma(j)}$

...

[www.andrew.cmu.edu/user/paulb2/Papers/Idaho.ps](http://www.andrew.cmu.edu/user/paulb2/Papers/Idaho.ps) - [Similar pages](#)

**[PDF] Chapter 13: Interpreting the Adult Literacy Scales and Literacy ...**

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... is, enhance score meaning; and • **strengthen** the links ... of material were identified: sign/**label**, directions, memo/letter, form, table, **graph**, prose, index ...

[nces.ed.gov/pubs2001/2001457\\_13.pdf](http://nces.ed.gov/pubs2001/2001457_13.pdf) - [Similar pages](#)

**Task-Oriented Semantic Interpretation**

... Given an **assertion**  $q$  and an axiom of the form ... new concept types and then generating type **labels** from the ... The only task-oriented canonical **graph** needed for this ...

[www.jfsowa.com/pubs/tos.html](http://www.jfsowa.com/pubs/tos.html) - 90k - [Cached](#) - [Similar pages](#)

**IRRADIATION IN MEAT AND POULTRY COMMENTS April 26, 1999**

... by FSIS as an opportunity to **strengthen**, not weaken ... STOP disagrees with FSIS' **assertion**

that under HACCP, establishments ... Specifically, the **label** should state: ...

[www.stop-usa.org/Policy\\_&\\_Outreach/Public\\_Comments/pc\\_97076p\\_irrad\\_04\\_1999.html](http://www.stop-usa.org/Policy_&_Outreach/Public_Comments/pc_97076p_irrad_04_1999.html) - 44k - [Cached](#) - [Similar pages](#)

**[PPT] Software Specification, Verification and Validation (CIS 775)**

File Format: Microsoft Powerpoint 97 - [View as HTML](#)

... Directed **graph** with **labeled** nodes (and edges ... The **assertion** expresses the relation between the variable when the program counter is located between these ... **graph**). ...

[www.cs.njit.edu/~elsa/775-spring2004/775%20Lecture%2021.ppt](http://www.cs.njit.edu/~elsa/775-spring2004/775%20Lecture%2021.ppt) - [Similar pages](#)

[PPT] Software Specification, Verification and Validation (CIS 775)File Format: Microsoft Powerpoint 97 - [View as HTML](#)... Directed **graph** with **labeled** nodes (and edges). ... The **assertion** expresses the relation

between the variable when the program counter is located between the ...

**graph**). ...[www.cs.njit.edu/~elsa/775-spring2004/775%20Lecture%2022.ppt](http://www.cs.njit.edu/~elsa/775-spring2004/775%20Lecture%2022.ppt) -[Similar pages](#)[PDF] Perfect factorisations of bipartite **graphs** and Latin squares ...File Format: PDF/Adobe Acrobat - [View as HTML](#)...  $L_4 \sim L_5 \sim L_6$ , from which the first **assertion** of the ...  $n$ , given a perfect1-factorisation of the complete **graph**  $K_n$  ... of  $K_{n+1}$  (with fixed vertex **labels**  $v_1$  ...[www.combinatorics.org/Volume\\_6/PDF/v6i1r9.pdf](http://www.combinatorics.org/Volume_6/PDF/v6i1r9.pdf) - [Similar pages](#)Downhill Battle - Music Activism... Downhill Battle banners, buttons, and **graphics** for your ... was made available on the **label's** website, (www ... to refute the record industry **assertion** that downloading ...[downhillbattle.org/index.php?p=154](http://downhillbattle.org/index.php?p=154) - 101k - [Cached](#) - [Similar pages](#)[PPT] ASP.NET WebServices 구축하기File Format: Microsoft Powerpoint 97 - [View as HTML](#)... `rdfs:label` `rdfs:domain` `rdfs:Resource` ... to impose a condition by any RDF **assertion** or inference ... construct a satisfying `rdfs:interpretation` for this **graph**, but it ...[ailab.cse.cau.ac.kr/AI/2004\\_1/RDF\\_Semantics.ppt](http://ailab.cse.cau.ac.kr/AI/2004_1/RDF_Semantics.ppt) - [Similar pages](#)[PDF] A FRAMEWORK FOR AUTOMATIC ONTOLOGY GENERATION FROM AUTONOMOUS WEB ...File Format: PDF/Adobe Acrobat - [View as HTML](#)... 120 7.9 a) **Graph** view of an ontology, b) Hyperbolic view of a document structure . 120 8.1 **Label** identification results . . . . .[sun.library.msstate.edu/ETD-db/theses/](http://sun.library.msstate.edu/ETD-db/theses/)[available/etd-09032002-165210/unrestricted/thesis.pdf](http://available/etd-09032002-165210/unrestricted/thesis.pdf) - [Similar pages](#)[PS] A TIME-SPACE TRADEOFF FOR UNDIRECTED **GRAPH**File Format: Adobe PostScript - [View as Text](#)... The second inequality uses the **assertion** that  $r \leq g/3$ , and ... Number of full **label**blocks:  $g = bd/qc$  ... A TIME-SPACE TRADEOFF FOR **GRAPH** TRAVERSAL 1071 4. Open problem ...[www.cs.washington.edu/homes/beame/papers/wag.ps](http://www.cs.washington.edu/homes/beame/papers/wag.ps) - [Similar pages](#)[PS] A Formal Theory of Plan Recognition and its ImplementationFile Format: Adobe PostScript - [View as Text](#)... The following **assertion** about the completeness of circumscription appears to ... constant $n$ . Arcs in the **graph** are represented ... consisting of a node, a **label**, and a ...[www.cs.washington.edu/homes/kautz/papers/prbook.ps](http://www.cs.washington.edu/homes/kautz/papers/prbook.ps) - [Similar pages](#)[ [More results from www.cs.washington.edu](http://www.cs.washington.edu) ]

**[PDF] Process Evolution for the M Environment Abstract**File Format: PDF/Adobe Acrobat - [View as HTML](#)... rule the source rule), and if that **assertion** causes the ... a consistency predicate that is the **label** of the ... edge into this rule in the consistency **graph**, then the ...www.cs.wpi.edu/~heineman/PDF/cucs-047-92.pdf - [Similar pages](#)**[PS] Solvability of Graph Inequalities Marcus Schaefer**File Format: Adobe PostScript - [View as Text](#)... S. and v. S. for which the. **assertion** has not been proven yet. ... Our decidability result for **graph** inequalities with one variable (and one **labeled** vertex) shows ...www.cs.uchicago.edu/files/tr\_authentic/TR-99-05.ps - [Similar pages](#)**[PS] The Bulletin of Symbolic Logic Volume 1, Number 1, March 1995**File Format: Adobe PostScript - [View as Text](#)... consequences which are not known to follow from the weaker **assertion** P 6 ... one central vertex that is distinguished by a special **label**; the **graphs** have the ...www.math.ucla.edu/~asl/bsl/0101/0101-007.ps - [Similar pages](#)**[PS] The Bulletin of Symbolic Logic Volume 2, Number 4, Dec. 1996**File Format: Adobe PostScript - [View as Text](#)... for some functions G1 and G2 on finite **labeled graphs** with finite ... iii) F(x) is the**graph**-theoretical union ... the A in  $\backslash \Theta \ AB \ \backslash \Lambda$  as the **assertion**, and the

...

www.math.ucla.edu/~asl/bsl/0204/0204-006.ps - [Similar pages](#)[ [More results from www.math.ucla.edu](#) ]**[PDF] Nils Klarlund Michael I Schwartzbach Aarhus University Department ...**File Format: PDF/Adobe Acrobat - [View as HTML](#)... amounts to preservation of validity of this **assertion** ... pointers A store is a directed **graph** whose nodes ... disjoint sets record cells which are **labeled** with types ...www.daimi.au.dk/PB/470/PB-470.pdf - [Similar pages](#)**[PDF] On Infinite Cycles I**File Format: PDF/Adobe Acrobat - [View as HTML](#)... of open sets increases the set of circles, and so we can **strengthen** our theorem ... Our **graph** G will be the infinite binary tree T. We **label** its vertices ...www.math.uni-hamburg.de/home/diestel/papers/Cycles1.pdf - [Similar pages](#)**[PS] Automatic Generation of Invariants and Intermediate**File Format: Adobe PostScript - [View as Text](#)... S1 in safe, similarly S3a and S3b **strengthen** premise S3. ... obtained by optimization based upon the **label** in n. ... polyhedra domain Let G be an **assertion graph** and Ga ...www-step.stanford.edu/papers/tcs97.ps - [Similar pages](#)**[PS] Formal Methods in System Design, ?, 1-28 (1998) c fl**File Format: Adobe PostScript - [View as Text](#)... **assertion** f in a node by an **assertion** f. ... unsatisfiable node and unreachable node

change the underlying **graph**. ... the conditions for removing an edge **label**, an edge ...

[www-step.stanford.edu/papers/fmsd99.ps](http://www-step.stanford.edu/papers/fmsd99.ps) - [Similar pages](#)

[ [More results from www-step.stanford.edu](#) ]

[PS] [Graphs with tiny vector chromatic numbers and huge chromatic ...](#)

File Format: Adobe PostScript - [View as Text](#)

... T **labeled** (X [ fr. i. g; Y ). If the leaf. ... " we conclude our **assertion**.  $\lambda$ . ... proof for Theorem 1.1 is as follows. Recall that we are look-ing for a **graph**. ...

[www.wisdom.weizmann.ac.il/mathusers/gideon/papers/fls.ps](http://www.wisdom.weizmann.ac.il/mathusers/gideon/papers/fls.ps) - [Similar pages](#)

[PDF] [Developmental Research for New Australian Health Warnings on ...](#)

File Format: PDF/Adobe Acrobat

... following explanatory message (whole or in part, from Phase 1 Research) would **strengthen**

understanding and ... Do the **labels** convey the ... Which **graphics**/texts are ...

[www.health.gov.au/pubhlth/strateg/drugs/tobacco/warnings\\_stage2.pdf](http://www.health.gov.au/pubhlth/strateg/drugs/tobacco/warnings_stage2.pdf) - [Similar pages](#)

[PDF] [xiii Interacting Questions and Descriptions](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... With this comes an **assertion** that interfaces and ... of **labeled** spaces within the **graph** that represents ... The inscription of **labels** into consistent configurational ...

[undertow.arch.gatech.edu/homepages/3sss/papers\\_pdf/00\\_peponis.pdf](http://undertow.arch.gatech.edu/homepages/3sss/papers_pdf/00_peponis.pdf) - [Similar pages](#)

[Amazon.com: About Adam Richman: Reviews](#)

... Scottish **label** "Jeepster") they **strengthen** the unique ... that was released through a **label** synonymous with ... of cultural identity and **assertion** without confrontation ...

[www.amazon.com/gp/cdp/member-reviews/A28ZGTOWNLFO0N](http://www.amazon.com/gp/cdp/member-reviews/A28ZGTOWNLFO0N) - 58k -

[Cached](#) - [Similar pages](#)

[PDF] [SETS AND CLASSES AS MANY](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... each sort of entity, so that an **assertion** of the ... individual  $\lambda(X)$  or  $\lambda X$  called its

**label** and to ... the interpretation of  $\varphi$  Conversely, we may **strengthen** MP to a ...

[publish.uwo.ca/~jbell/SETS%20AND%20CLASSES%20AS%20MANY.pdf](http://publish.uwo.ca/~jbell/SETS%20AND%20CLASSES%20AS%20MANY.pdf) - [Similar pages](#)

[Computer, Graphics, & Learning -- Chapter 4](#)

... As described in chapter 2, **graphics** can be a very ... the individual is very likely to also add semantic **labels**. ... Therefore, the **assertion** that a second code is not ...

[www.nowhereroad.com/cgl/chapter4/](http://www.nowhereroad.com/cgl/chapter4/) - 90k - [Cached](#) - [Similar pages](#)

[PDF] [On Infinite Cycles I](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... sequence, and if a vertex has **label** then its ... Indeed, we have the following stronger

**assertion**: Proposition 4.5 ... G be a locally finite connected **graph**, and let ...

[page.mi.fu-berlin.de/~dkuehn/infcycle1.pdf](http://page.mi.fu-berlin.de/~dkuehn/infcycle1.pdf) - [Similar pages](#)

[PS] [STACHA: A COMPUTERIZED MODELING TOOL FOR DEDS](#)

File Format: Adobe PostScript - [View as Text](#)

... transitions (action in the transition **label**) and they ... these processes in the described **graphics** - based simulation ... ensured [7]. The safety **assertion** says that ...  
[www.ui.savba.sk/verif/stacha.ps](http://www.ui.savba.sk/verif/stacha.ps) - [Similar pages](#)

[PS] Symbolic Model Checking with

File Format: Adobe PostScript - [View as Text](#)

... identifies the only allowed node in the tree. structure which is **labeled** by a  $\Sigma$ .  
 2. ... **assertion**: 0. ; ... **Graph**-based algorithms for Boolean function manipulation. ...  
[www-verimag.imag.fr/~maler/Papers/rich.ps](http://www-verimag.imag.fr/~maler/Papers/rich.ps) - [Similar pages](#)

[PDF] SAT-based Induction for Temporal Safety Properties

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... respect to a desired behavior by checking whether a **labeled** state-transition **graph** that models ... that (ii-a) comes down to checking the **assertion** ALWAYS Q ...  
[bmc04.inf.ethz.ch/ArmoniFixFraerHuddlestonPitermanVardi-BMC04-preliminary.pdf](http://bmc04.inf.ethz.ch/ArmoniFixFraerHuddlestonPitermanVardi-BMC04-preliminary.pdf) - [Similar pages](#)

[DOC] CONTENT AREA

File Format: Microsoft Word 2000 - [View as HTML](#)

... concept, or provide **labels** for objects. **label** it. ... **assertion**. promise in local Western and non- **graphs**, statistics,. history.:( Western civiliza. ...  
[site.www.umb.edu/applied\\_ling/Lilia/Content%20Area%20Assessment.doc](http://site.www.umb.edu/applied_ling/Lilia/Content%20Area%20Assessment.doc) - [Similar pages](#)

[PDF] An Analyzable Annotation Language

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... The presence of an edge **labeled** f from node o ... the object o'. Mathematically, we treat this **graph** as a ... The **assertion** that an object belongs to a given class ...  
[www.cag.lcs.mit.edu/~marinov/publications/KhurshidETAL02AAL.pdf](http://www.cag.lcs.mit.edu/~marinov/publications/KhurshidETAL02AAL.pdf) - [Similar pages](#)

[PDF] Induced trees in **graphs** of large chromatic number

File Format: PDF/Adobe Acrobat

... that the conjecture is equivalent to the **assertion** that  $\text{Forb}(H \dots)$  a subgraph isomorphic to T that has the same **labels**. It is also known that **graphs** with low clique ...  
[doi.wiley.com/10.1002/\(SICI\)1097-0118\(199704\)24:4%3C297::AID-JGT2%3E3.3.CO;2-X](http://doi.wiley.com/10.1002/(SICI)1097-0118(199704)24:4%3C297::AID-JGT2%3E3.3.CO;2-X) - [Similar pages](#)

[PDF] Improved bounds for the chromatic index of **graphs** and multigraphs

File Format: PDF/Adobe Acrobat

... and Fournier [2]. To justify this last **assertion**, we state the ... over previous bounds

for  $\chi(G)$ . The **labels** on the ... The Vizing bound for this **graph** would be  $\chi(G) \dots$   
[doi.wiley.com/10.1002/\(SICI\)1097-0118\(199912\)32:4%3C311::AID-JGT1%3E3.0.CO;2-X](http://doi.wiley.com/10.1002/(SICI)1097-0118(199912)32:4%3C311::AID-JGT1%3E3.0.CO;2-X) -

[Similar pages](#)

[ [More results from doi.wiley.com](#) ]

Blog for America

... Designed by People Powered **Graphics** as requested by ... Howard Dean this morning to



**strengthen** his campaign ... not avoid the "Dean Democrats" **label** that Republicans ...  
[www.blogforamerica.com/archives/002683.html](http://www.blogforamerica.com/archives/002683.html) - 101k - [Cached](#) - [Similar pages](#)

[PS] Abstraction-Based Verification of

File Format: Adobe PostScript - [View as Text](#)

... guard (o/ ) is the guard of t. guard (o/ ) is an **assertion** in A ... such cases we sometimes define the system  $S(i, n)$  as **labeled** transition **graph**  $(L, T \dots$   
[www.informatik.uni-kiel.de/~kba/dissertation.ps](http://www.informatik.uni-kiel.de/~kba/dissertation.ps) - [Similar pages](#)

[PS] Development of a Steamboiler Control

File Format: Adobe PostScript - [View as Text](#)

... Thus we **strengthen** the original specification by introducing an ... STATE and the respective transition **label** of the ... to prove invariance of a state **assertion** for a ...  
[www.informatik.uni-kiel.de/~procos/dag9523/kuehne-siegel-weber-fulltext.ps.Z](http://www.informatik.uni-kiel.de/~procos/dag9523/kuehne-siegel-weber-fulltext.ps.Z) - [Similar pages](#)

[PDF] arXiv:math.AG/0306366 v2 9 Dec 2003

File Format: PDF/Adobe Acrobat - [View as HTML](#)

Page 1. arXiv:math.AG/0306366 v2 9 Dec 2003 Contemporary Mathematics First Steps in Tropical Geometry J" urgen Richter-Gebert, Bernd ...  
[arxiv.org/pdf/math.AG/0306366](http://arxiv.org/pdf/math.AG/0306366) - [Similar pages](#)

What God Makes Free is Free Indeed, article by S. Thumma

... This dual **assertion** within a nondenominational stance ... These organizations **strengthen** the nondenominational identity ... of the nondenominational **label** carries with ...  
[hrr.hartsem.edu/bookshelf/thumma\\_article5.html](http://hrr.hartsem.edu/bookshelf/thumma_article5.html) - 60k - [Cached](#) - [Similar pages](#)

Appendix F: Glossary of Eiffel terms

... An **assertion** may have a **label**; this **label** is shown ... fails, the name of the failing **assertion** is shown ... The new version can **strengthen** the postcondition (ensure ...  
[www-staff.socs.uts.edu.au/~rist/eiffel/book/ch16/appendixF.html](http://www-staff.socs.uts.edu.au/~rist/eiffel/book/ch16/appendixF.html) - 38k - [Cached](#) - [Similar pages](#)

[PDF] Statistics Education Research Journal

File Format: PDF/Adobe Acrobat

... or equated, in order to provide a basis for the **assertion** that these ... in sporting contexts, interpretation of a misleading picto-bar **graph**, interpretation of an ...  
[www.stat.auckland.ac.nz/~iase/serj/SERJ2\(2\).pdf](http://www.stat.auckland.ac.nz/~iase/serj/SERJ2(2).pdf) - [Similar pages](#)

[PDF] Unit Analysis and Testing

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... technology, parse trees, and **graph** algorithms at ... **labeled** "software unit.") The requirements are in ... a collection of software To **strengthen** the conclusions ...  
[www.deimel.org/comp\\_sci/cm-9.pdf](http://www.deimel.org/comp_sci/cm-9.pdf) - [Similar pages](#)

Exercise - vRetail.com - virtual shopping

... Includes key card with 95 structures **labeled**. ... A strong **assertion**, but true because buh-bump contains electrolytes ...  $\hat{A}_i \hat{A}_j$  in both numbers and a **graph** of time ...

[www.vretail.com/Exercise/index331.html](http://www.vretail.com/Exercise/index331.html) - 54k - [Cached](#) - [Similar pages](#)

### Using DAML+OIL as a Constraint Language for Topic Maps

... female"> <daml:label>Female</daml:label> </daml:Class ... processor to validate the **assertion**

being made ... in human interface design, **graphics** interface development ...

[www.idealliance.org/papers/xml02/dx\\_xml02/papers/05-03-03/05-03-03.html](http://www.idealliance.org/papers/xml02/dx_xml02/papers/05-03-03/05-03-03.html) - 54k -

[Cached](#) - [Similar pages](#)

### [PDF] Baroclinic instability in a two layer model with a free boundary ...

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... used to establish nonlinear stability conditions A spectral analysis reveals that unlike the case of Phillips problem the effect can either **strengthen** or weaken ...

[www.rsmas.miami.edu/personal/olascoaga/jgr99.pdf](http://www.rsmas.miami.edu/personal/olascoaga/jgr99.pdf) - [Similar pages](#)

### [PDF] PubStyleGuide revised

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... Be sure to **label** each photo with your name, address ... your document, save each chart or **graph** separately on ... weakening effect when it props an **assertion** that ought ...

[youth.gc.adventist.org/young\\_adults/styleguide/pubstyleguide.pdf](http://youth.gc.adventist.org/young_adults/styleguide/pubstyleguide.pdf) - [Similar pages](#)

### [PDF] A Formal Theory of Plan Recognition and its Implementation

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... (The **labels** do not, by ...  $x_C = s_1(x) \wedge D = s_2(x)$ . One could further **strengthen** the axiom ...

The algorithms use a compact **graph**-based representation of logical formulas ...

[www.tzi.de/~adl/lehre/paper/A%20formal%20Theory%20of%20Plan%20Recognition.pdf](http://www.tzi.de/~adl/lehre/paper/A%20formal%20Theory%20of%20Plan%20Recognition.pdf) -

[Similar pages](#)

### [PDF] Green Claims – Practical Guidance

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... any self-declared statements, symbols or **graphics** that: 1 ... Further information on this **label** is available ... the claim involves a comparative **assertion** (for example ...

[www.defra.gov.uk/environment/consumerprod/pdf/genericguide.pdf](http://www.defra.gov.uk/environment/consumerprod/pdf/genericguide.pdf) - [Similar pages](#)

### [PDF] ENGINE SCHEDULING BY COLUMN GENERATION

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... 98 4.4 Schematic excerpt from a time expanded pattern **graph** . . . . .

98 4.5 Efficient treatment of **labels** . . . . .

[www.biblio.tu-bs.de/ediss/data/20010829a/20010829a.pdf](http://www.biblio.tu-bs.de/ediss/data/20010829a/20010829a.pdf) - [Similar pages](#)

### JCALRN98

... to generate and manipulate multiple **graphs** is critical ... Categories are **labeled** by a typical comment made by ... This **assertion** mirrored concurrent concerns over the ...

[www.lancs.ac.uk/users/ktru/jcalrn98.htm](http://www.lancs.ac.uk/users/ktru/jcalrn98.htm) - 101k - Sep 16, 2004 - [Cached](#) - [Similar pages](#)

### [PDF] A Proposal for an OWL Rules Language

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... sameAs(?c, ?e), along with the **assertion** that every ... map:underlyingObject(?point, ?airport)  $\wedge$  map:label(?point, ?name) 8. MAPPING TO RDF **GRAPHS** Rules have ...

[www.cs.man.ac.uk/~horrocks/Publications/download/2004/HoPa04a.pdf](http://www.cs.man.ac.uk/~horrocks/Publications/download/2004/HoPa04a.pdf) - [Similar pages](#)

**[PDF] Role Play**

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... identity – theatre can build on that basis and **strengthen** it as an act of resistance or **assertion**. ... to come up with different stereotypes or **labels** for the ...  
217.206.205.24/compower/pdfversion/cpspoken/S002.pdf - [Similar pages](#)

**Product Listing - middle**

... to differentiate brashness and aggressiveness from true **assertion**. With attractive **graphics**, it shows how to ... feelings about being **labeled**, traits associated ...  
[www.add-plus.com/cgi-bin/store/commerce.cgi?product=middle](http://www.add-plus.com/cgi-bin/store/commerce.cgi?product=middle) - 84k -  
[Cached](#) - [Similar pages](#)

**[PDF] ISOPERIMETRIC AND ISODIAMETRIC FUNCTIONS OF FINITE PRESENTATIONS ...**

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... at the vertex 1 in the Cayley **graph**  $\Gamma$  and ... on a quadrilateral  $Q_{ij}$  whose boundary **label** is a ... Bridson's recent results [Bd] **strengthen** Theorem 3.5, showing ...  
[www.math.utah.edu/~gersten/Papers/sussex.pdf](http://www.math.utah.edu/~gersten/Papers/sussex.pdf) - [Similar pages](#)

**[PDF] Compositional specification and verification of control flow based ...**

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... quantified where  $X$  is an **assertion** meaning that ... of the system thus leaving only the **labels** call and ...  $v \ T \ v$  to denote edges in the transfer **graph** modelling intra ...  
[www.informatik.fernuni-hagen.de/pi5/tagungen/ecopp\\_2001/ecoop2001/barthe.pdf](http://www.informatik.fernuni-hagen.de/pi5/tagungen/ecopp_2001/ecoop2001/barthe.pdf) -  
[Similar pages](#)

**[PDF] Dependence Graphs: Dependence Within and Between Groups**

File Format: PDF/Adobe Acrobat

... We share this **assertion**. ... The advantage of this conceptualisation is to provide means for simulating the emergence of dependence **graphs** from aggregates of ...  
[www.ingenta.com/isis/searching/Expand/ingenta?pub=infobike:/klu/cmot/2002/00000008/00000002/05091050](http://www.ingenta.com/isis/searching/Expand/ingenta?pub=infobike:/klu/cmot/2002/00000008/00000002/05091050) - [Similar pages](#)

**[PDF] Social Determinants, Social Support and Health: a Critique**

File Format: PDF/Adobe Acrobat

... The micro links are **labeled** 'mechanisms,' but they do not ... Indeed, even the **assertion** that the motor moves the car ... are the only spikes in the **graph** and they ...  
[www.ingenta.com/isis/searching/Expand/ingenta?pub=infobike:/pal/sth/2004/00000002/00000002/art00002](http://www.ingenta.com/isis/searching/Expand/ingenta?pub=infobike:/pal/sth/2004/00000002/00000002/art00002) - [Similar pages](#)  
[ [More results from](#) [www.ingenta.com/isis/searching/Expand/ingenta?pub=infobike://pal](http://www.ingenta.com/isis/searching/Expand/ingenta?pub=infobike://pal) ]

**MUSIC THEORY ONLINE A Publication of the Society for Music Theory ...**

... His earlier examples so **labeled** \*are\* actually "pitch ... Roig-Francoli confronts Ligeti's **assertion** that his musical forms ... his comments with his **graph** (and with ...  
[www.societymusictheory.org/mto/issues/mto.96.2.5/mto.96.2.5.clendng.rev](http://www.societymusictheory.org/mto/issues/mto.96.2.5/mto.96.2.5.clendng.rev) - 34k -

[Cached](#) - [Similar pages](#)

MTO 2.5: Clendinning, Review/Article of Miguel A. Roig-Francoli

... Roig-Francoli confronts Ligeti's **assertion** that his musical forms are ...  
C#5-A5, as

shown in **graph** 3a, making ... His earlier examples so **labeled** are actually  
"pitch ...

www.societymusictheory.org/mto/ issues/mto.96.2.5/mto.96.2.5.cleddinning.html

- 39k - [Cached](#) - [Similar pages](#)

[PS] AALBORG UNIVERSITY

File Format: Adobe PostScript - [View as Text](#)

... The semantics of this constraint expression would be the **assertion**. ... should nodes  
be drawn in the **graph** presentation (size ... of **label(s)**, and other graphical details ...

www.cs.auc.dk/~normark/hyper/design-report.ps.Z - [Similar pages](#)

BOL Ch. 9--The Mathematical World

... but in others it may be just the **label** of some ... can be used to construct plots and  
**graphs** to display data ... When asked for a reason for an **assertion**, children are ...

www.project2061.org/tools/benchol/ch9/ch9.htm - 77k - Sep 15, 2004 -

[Cached](#) - [Similar pages](#)

[PDF] A Proposal for an OWL Rules Language

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... sameAs(?c, ?e), along with the **assertion** that every grid ... map:underlyingObject(?point,  
?airport)^ map:**label**(?point, ?name) 8. MAPPING TO RDF **GRAPHS** It is ...

www.www2004.org/proceedings/docs/1p723.pdf - [Similar pages](#)

[PS] Biographical Sketch Antonio Fern'andez (Anta) graduated from the ...

File Format: Adobe PostScript - [View as Text](#)

... j" separates the left-hand half of the **label** from the ... N ) (for r ? 1) into the de  
Bruijn **graph** requires a ... One last fact will make this **assertion** stronger: both ...

gabon.eui.upm.es/~anto/papers/thesis.ps.gz - [Similar pages](#)

[DOC] Lifelong learning: A critical assessment of the political project

File Format: Microsoft Word 2000 - [View as HTML](#)

... dynamic economic growth and to **strengthen** social cohesion ... towards what  
Esping-Andersen'

s **labels** (Esping-Andersen ... The **assertion** that the Nordic model of adult ...

www.ruc.dk/inst10/forskertskolen/ summer2004/lectures/kjell\_rubenson/ - [Similar pages](#)

[PDF] Section alludes to One Sided Shifts a subject of considerable ...

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... goes on in this section we **strengthen** the relation of ... little reason to dispute the  
authors **assertion** that shifts ... something to do with paths in **graphs** also that ...

delta.cs.cinvestav.mx/~mcintosh/ comun/new\_book/new\_book.pdf - [Similar pages](#)

[PS] Article Submitted to Journal of Symbolic Computation

File Format: Adobe PostScript - [View as Text](#)

... directed acyclic **graph**), where the leaves of D are **labeled** with ... rules R 2 C, such that the for the **labels** H. 1. ... S-proof (for a derivation of an **assertion** A from ...  
[www.faculty.iu-bremen.de/mkohlhase/papers/jsc.ps](http://www.faculty.iu-bremen.de/mkohlhase/papers/jsc.ps) - [Similar pages](#)

**[PDF] Verifying Temporal Properties of Reactive Systems: A STeP Tutorial**

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... We say that an **assertion** p is S-state valid if p ... By continuously updating this **graph**, the session editor offers the ... and Gentzen rules based on the **label** of the ...  
[www.ps.uni-sb.de/~bf/publications/tutorial00/fmsd00.pdf](http://www.ps.uni-sb.de/~bf/publications/tutorial00/fmsd00.pdf) - [Similar pages](#)

**The Mac Observer--Today's News On One Page - March 6th, 2000**

... (BugBase #767); [Bug] An **assertion** failure while ... a drawing editor for creating high quality **graphs** and presentations ... Date plots and rotated **labels**; New Plot types ...  
[www.macobserver.com/news/00/march/000306/todaysnews000306.shtml](http://www.macobserver.com/news/00/march/000306/todaysnews000306.shtml) - 59k - [Cached](#) - [Similar pages](#)

**[PDF] Introduction**

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... addition clearly **label** the parts of your illustrations **label** the axes of **graphs** with words ... Be clear about the status of every **assertion** indicate whether ...  
[www.cs.umbc.edu/cra/etw98/mit.pdf](http://www.cs.umbc.edu/cra/etw98/mit.pdf) - [Similar pages](#)

**Past news**

... US and South Korean defence ministers is aimed to **strengthen** the US ... fact, the US is going to attach the **label** of "human ... GNP's **assertion** dismissed as sheer lie. ...  
[www.kcna.co.jp/item/2003/200307/news07/15.htm](http://www.kcna.co.jp/item/2003/200307/news07/15.htm) - 29k - [Cached](#) - [Similar pages](#)

**[PDF] Environmental Report 2000**

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... regular basis at Omron board of directors' meetings to **strengthen** management understanding ... Law Results of waste water measurement The following **graphs** show the ...  
[www.omron.co.jp/corporate/kokisei/pdf/kankyo\\_e2000.pdf](http://www.omron.co.jp/corporate/kokisei/pdf/kankyo_e2000.pdf) - [Similar pages](#)

**[PDF] Louder than Words - Executive Summary**

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... relentless community organizing and effective **assertion** of Voting ... strategies will help save and **strengthen** the infra ... Advisers used the **label** "triage" as a ...  
[www.rockfound.org/Documents/430/louderthanwords\\_summary.pdf](http://www.rockfound.org/Documents/430/louderthanwords_summary.pdf) - [Similar pages](#)

**[PDF] 1 US Climate Change Science Program Planning Workshop for ...**

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... He explained these through a set of **graphics** and animations ... 5 Dr. Schlesinger's **Assertion**  
 4 is that the value of ... is needed for it to be **labeled** "significant ...  
[www.climatechange.gov/Library/workshop2002/breakout-one/breakoutonerapporteur-parkinson.pdf](http://www.climatechange.gov/Library/workshop2002/breakout-one/breakoutonerapporteur-parkinson.pdf) - [Similar pages](#)

**[PS] Contemporary Mathematics**

... proof of the if-direction in the third **assertion** for. ... if  $\Gamma$  can be embedded as a planar **graph** into the ... are the dot products of the row **labels** with the column ...

[www-m9.ma.tum.de/dm/homepages/theobald/publications/tropical.ps](http://www-m9.ma.tum.de/dm/homepages/theobald/publications/tropical.ps) - Similar pages

... was solved by Raz in [42], and further **strengthen** and. ... Given a undirected **graph**, we attach a propositional variable to ... We also select one vertex and **label** it by ...  
www.brics.dk/DS/02/2/BRICS-DS-02-2.ps.gz - Similar pages

[ More results from [www.brics.dk](http://www.brics.dk) ]

[www.math.ohio-state.edu/~pemantle/105-106-107/105/coursepack.pdf](http://www.math.ohio-state.edu/~pemantle/105-106-107/105/coursepack.pdf) - Similar pages

Result Page: **1** 2 3 4 5 6 7 8 9 10 **Next**

# Search

9/17/04 3:06 PM


[Web](#) [Images](#) [Groups](#) [News](#) [Froogle](#) [more »](#)


[Advanced Search](#)  
[Preferences](#)
**Web** Results 1 - 7 of about 9 for "**assertion graph**" **label strengthen**. (1.05 seconds)

Tip: Try removing quotes from your search to get more results.

Sponsored Links

**[PS]** [Deductive Model Checking](#)

File Format: Adobe PostScript - [View as Text](#)

... properties is based on an **assertion graph** similar to the S ... if it is included in an edge-label in S ...

Properties: Known invariants can be used to **strengthen** all (or ...

theory.stanford.edu/~zm/papers/cav96dmc.ps.Z -

[Similar pages](#)

[Web Graphs and Charts](#)

Easily add dynamic & interactive

Graphs & Charts to your webpages

www.jpowered.com

[See your message here...](#)

**[PS]** [Automatic Generation of Invariants and Intermediate](#)

File Format: Adobe PostScript - [View as Text](#)

... S1 in safe, similarly S3a and S3b **strengthen** premise S3. ... obtained by optimization based upon the **label** in n. ... polyhedra domain Let G be an **assertion graph** and Ga ...

theory.stanford.edu/people/nikolaj/invariants96.ps.Z - [Similar pages](#)

[ [More results from theory.stanford.edu](#) ]

**[PDF]** [Generalized Symbolic Trajectory Evaluation — Abstraction in ...](#)

File Format: PDF/Adobe Acrobat

... In general, we define a GSTE **assertion graph** as a quintuple  $G = (V, v_0, E, ant, \dots)$  and ant and cons are functions that map each edge to an antecedent **label** and a ...  
[www.springerlink.com/index/4EK5CLH8U19XNE43.pdf](http://www.springerlink.com/index/4EK5CLH8U19XNE43.pdf) - [Similar pages](#)

**[PDF]** [Introduction to Generalized Symbolic Trajectory Evaluation](#)

File Format: PDF/Adobe Acrobat

... Figure 5 will not satisfy this **assertion graph**, since the ... will eventually violate the antecedent **label** on  $\hat{U}$  ... to the problem is to **strengthen** the antecedent ...  
[doi.ieeecomputersociety.org/10.1109/ICCD.2001.955052](http://doi.ieeecomputersociety.org/10.1109/ICCD.2001.955052) - [Similar pages](#)

**[PDF]** [Deductive Model Checking \\*](#)

File Format: PDF/Adobe Acrobat

... establishing temporal safety properties is based on an **assertion graph** similar to the ... in the program corresponds to a transition, denoted by its **label**; thus, T ...  
[www.kluweronline.com/article.asp?PIPS=207108&PDF=1](http://www.kluweronline.com/article.asp?PIPS=207108&PDF=1) - [Similar pages](#)

**[PS]** [Using Theorem Proving with Algorithmic Techniques for](#)

File Format: Adobe PostScript - [View as Text](#)

... rules on system models to produce and **strengthen** invariants ... system, specified in a certain form of "**assertion graph**", then to ... a path if a is in the **label** of the ...

[www.cs.utexas.edu/users/moore/acl2/seminar/2003.10.29-sandip/proposal.ps](http://www.cs.utexas.edu/users/moore/acl2/seminar/2003.10.29-sandip/proposal.ps) -  
[Similar pages](#)

[PS] [Formal Methods in System Design, ?, 1-28 \(1998\) c fl](#)

File Format: Adobe PostScript - [View as Text](#)

... safety properties is based on an **assertion graph** similar to ... 3. **Strengthen** every node of the diagram with  $\text{acc}(N)$ . 4 ... This means that o/ cannot **label** any edge in S

...

[www-step.stanford.edu/papers/fmsd99.ps](http://www-step.stanford.edu/papers/fmsd99.ps) - [Similar pages](#)

*In order to show you the most relevant results, we have omitted some entries very similar to the 7 already displayed.*

*If you like, you can repeat the search with the omitted results included.*

---

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2004 Google



Find: [Documents](#)[Citations](#)Searching for **PHRASE** **assertion graph**.Restrict to: [Header](#) [Title](#) Order by: [Expected citations](#) [Hubs](#) [Usage](#) [Date](#) Try:[Google \(CiteSeer\)](#) [Google \(Web\)](#) [CSB](#) [DBLP](#)3 documents found. **Order: number of citations.**

[Deductive Model Checking - Sipma, Uribe, Manna \(1996\)](#) ([Correct](#)) ([23 citations](#))  
temporal safety properties is based on an **assertion graph** similar to the S-refined tableau  
we use, and  
[theory.stanford.edu/people/zm/papers/cav96dmc.ps.Z](http://theory.stanford.edu/people/zm/papers/cav96dmc.ps.Z)

[Relative Debugging for Parallel Systems - David Abramson \(1997\)](#) ([Correct](#)) ([1 citation](#))  
to be duplicated for each assertion. In an **assertion graph**, edges are used to transmit  
tokens between  
[www.rdt.monash.edu.au/~davida/papers/guardpcw.ps.Z](http://www.rdt.monash.edu.au/~davida/papers/guardpcw.ps.Z)

---

[satGSTE: Combining the Abstraction of GSTE - With The Capacity](#) ([Correct](#))  
cases [5]GSTE specifications are given as **assertion graphs**. An **assertion graph** is an  
operational  
are given as **assertion graphs**. An **assertion graph** is an operational specification  
formalism,  
with the expected behavior described in the graph. **Assertion Graphs** are often cyclic and  
express behavior  
[www.cs.chalmers.se/~ms/DCC04/Abstracts/Singerman.ps](http://www.cs.chalmers.se/~ms/DCC04/Abstracts/Singerman.ps)

Try your query at: [Google \(CiteSeer\)](#) [Google \(Web\)](#) [CSB](#) [DBLP](#)CiteSeer - Copyright [NEC](#) and [IST](#)

[IEEE HOME](#) | [SEARCH IEEE](#) | [SHOP](#) | [WEB ACCOUNT](#) | [CONTACT IEEE](#)

[Membership](#) | [Publications/Services](#) | [Standards](#) | [Conferences](#) | [Careers/Jobs](#)
**IEEE Xplore**  
RELEASE 1.5
[Help](#) | [FAQ](#) | [Terms](#) | [IEEE Peer Review](#)
[Quick Links](#)
[» Search Results](#)
**Welcome to IEEE Xplore**

- ☐ Home
- ☐ What Can I Access?
- ☐ Log-out

Your search matched **2** of **991547** documents.

A maximum of **2** results are displayed, **25** to a page, sorted by **publication year** in **ascending** order.

You may refine your search by editing the current search expression or entering a new one the text box.

**Tables of Contents**

- ☐ Journals & Magazines
- ☐ Conference Proceedings
- ☐ Standards

Then click **Search Again**.

"assertion graph"

[Search Again](#)
**Results:**

Journal or Magazine = **JNL** Conference = **CNF** Standard = **STD**

**Search**

- ☐ By Author
- ☐ Basic
- ☐ Advanced

**1 Introduction to generalized symbolic trajectory evaluation**

*Jin Yang; Seger, C.-J.H.;*

Computer Design, 2001. ICCD 2001. Proceedings. 2001 International Conference on , 23-26 Sept. 2001

Page(s): 360 -365

[\[Abstract\]](#) [\[PDF Full-Text \(496 KB\)\]](#) **IEEE CNF**

**Member Services**

- ☐ Join IEEE
- ☐ Establish IEEE Web Account
- ☐ Access the IEEE Member Digital Library

[Print Format](#)

**2 GSTE through a case study [digital IC verification]**

*Yang, J.; Goel, A.;*

Computer Aided Design, 2002. ICCAD 2002. IEEE/ACM International Conference on , 10-14 Nov. 2002

Page(s): 534 -541

[\[Abstract\]](#) [\[PDF Full-Text \(592 KB\)\]](#) **IEEE CNF**

[Home](#) | [Log-out](#) | [Journals](#) | [Conference Proceedings](#) | [Standards](#) | [Search by Author](#) | [Basic Search](#) | [Advanced Search](#)  
[Join IEEE](#) | [Web Account](#) | [New this week](#) | [OPAC Linking Information](#) | [Your Feedback](#) | [Technical Support](#) | [Email Alerting](#)  
[No Robots Please](#) | [Release Notes](#) | [IEEE Online Publications](#) | [Help](#) | [FAQ](#) | [Terms](#) | [Back to Top](#)

Copyright © 2003 IEEE — All rights reserved

Find: Searching for **graph and edge and strengthen**.Restrict to: Header Title Order by: Expected citations Hubs Usage Date Try:Google (CiteSeer) Google (Web) CSB DBLP43 documents found. **Order: number of citations.**

Implicit Routing And Shortest Path Information (Extended.. - Kranakis, Krizanc.. (1995)  
(Correct) (1 citation)

Abstract We study the problem of constructing **graphs** from shortest path information (complete or partial) Consider **graphs** with labeled vertices and **edges**. Given a collection  $V$  of vertices and for each  $u$  path families but are not isomorphic. We can **strengthen** this construction in order to prove the

[www.csi.uottawa.ca/~jorge/online\\_papers/TR-95-08.ps.gz](http://www.csi.uottawa.ca/~jorge/online_papers/TR-95-08.ps.gz)

Three-Coloring Klein Bottle Graphs Of Girth Five - Thomas, Walls (1998) (Correct)

Three-Coloring Klein Bottle **Graphs** Of Girth Five Robin Thomas 1 And Barrett Walls not 3-colorable, but  $G$  is 3-colorable for every **edge**  $e \in E(G)$  1.4) Conjecture. For every surface  $S$

[www.math.gatech.edu/~thomas/klein.ps](http://www.math.gatech.edu/~thomas/klein.ps)

The Complexity of Finding Minimal Spanning Subgraphs - Kelsen, Ramachandran (1991)  
(Correct)

February 6, 1991 Abstract Let  $P$  be a property of **graphs** (directed or undirected) We consider the

[ftp.cs.utexas.edu/pub/techreports/tr91-17.ps.Z](http://ftp.cs.utexas.edu/pub/techreports/tr91-17.ps.Z)

Improved Edge-Coloring Algorithms for Planar Graphs - Chrobak, Nishizeki (1996)  
(Correct)

Improved **edge**-coloring algorithms for planar **graphs** Marek Chrobak Takao Nishizeki y October 4,

Improved **edge**-coloring algorithms for planar **graphs** Marek

[www.cs.ucr.edu/~marek/pubs/impr\\_edge\\_col.ps](http://www.cs.ucr.edu/~marek/pubs/impr_edge_col.ps)

A Note On The Circumference Of Graphs - Stacho (Correct)

Pp. 259-263 259 A Note On The Circumference Of **Graphs** L. Stacho Abstract. The Well-Known Bondy's

$d(v)$  of a vertex  $v$  in a **graph**  $G$  is the number of **edges** in  $G$  incident with  $v$ . A **graph**  $G$  is called  $k$ -solid

in [2]4] and [5] The aim of this paper is to **strengthen** the general Bondy's result by adding a

[ifi.savba.sk/pub/laco/papers/circum1.ps.gz](http://ifi.savba.sk/pub/laco/papers/circum1.ps.gz)

Average Kissing Numbers for Non-Congruent Sphere Packings - Kuperberg, Schramm (1994) (Correct)

combinatorics of the packing. It is the (abstract) **graph**  $G = (V, E)$  on  $V$ , where an **edge**  $fu$   $wg$  appears in  
is the (abstract) **graph**  $G = (V, E)$  on  $V$ , where an **edge**  $fu$   $wg$  appears in  $E$  precisely when  $P_u$  and  $P_w$   
of  $ff$ . A good estimate for  $ff$  would consequently **strengthen** Theorem 2. 3 The lower bound  
Theorem 3 There  
[www.math.ucdavis.edu/~greg/papers/kissing.ps.gz](http://www.math.ucdavis.edu/~greg/papers/kissing.ps.gz)

The Giant Component Threshold for Random Regular Graphs with Edge .. - Goerdts (1997)  
(Correct)

The Giant Component Threshold for Random Regular **Graphs** with **Edge** Faults Andreas Goerdts TU Chemnitz,  
Component Threshold for Random Regular **Graphs** with **Edge** Faults Andreas Goerdts TU Chemnitz, Theoretische  
[www.tu-chemnitz.de/informatik/HomePages/TI/Papers/1997/rand3.ps.gz](http://www.tu-chemnitz.de/informatik/HomePages/TI/Papers/1997/rand3.ps.gz)

Verification of Pointers - Klarlund, Schwartzbach (Correct)

impose invariants on the store. The store is a **graph** whose nodes are record values and whose **edges** are  
is a **graph** whose nodes are record values and whose **edges** are pointer values.  
Unfortunately, existing type  
may allow a programmer to correct the code or to **strengthen** program assertions. For a full language  
[www.daimi.au.dk/PB/470/PB-470.ps.gz](http://www.daimi.au.dk/PB/470/PB-470.ps.gz)

On k-Partitioning the n-Cube - Bezrukov (Correct)

$= 2^a \Sigma 2^b$  with  $a, b \geq 0$ . 1 Introduction **Graph** partition problems often arise in solving large  
D-33095 Paderborn, Germany Abstract. Let an **edge** cut partition the vertex set of the  $n$ -cube into  $k$   
is  $\Theta(2^n \log k)^3$ ,  $10^n$  In our paper, we **strengthen** this result presenting asymptotic of the  
[www.uni-paderborn.de/fachbereich/AG/monien/PUBLICATIONS/POSTSCRIPTS/B\\_cube-par](http://www.uni-paderborn.de/fachbereich/AG/monien/PUBLICATIONS/POSTSCRIPTS/B_cube-par)

A New Chvátal Type Condition For Pancyclicity - Stacho (Correct)

that almost any non-trivial condition on **graphs** which implies that the **graph** is hamiltonian also  
that a set  $S \subseteq V(G)$  is independent if there is no **edge** between vertices from  $S$ . The degree  $d(S)$  of the  
of this paper is to find such a condition. We **strengthen** Theorem ? by involving a structural  
[ifi.savba.sk/pub/laco/papers/pancyc.ps.gz](http://ifi.savba.sk/pub/laco/papers/pancyc.ps.gz)

Priority Max-Min Fair Flow Control Sensitive to Traffic.. - Fatourou, Mavronicolas, ..  
(Correct)

2 The Model A communication network is a **graph**  $G = (V, E)$  Each network link  $e$  incurs a finite  
function, which is also increasing. For each **edge**  $e \in E$ , denote  $sessions(e)$  the set of sessions

[helios.cti.gr/alcom-it/foundation/secyear/fatspir.ps.gz](http://helios.cti.gr/alcom-it/foundation/secyear/fatspir.ps.gz)

Combinatorial Classification of Finitely Generated Virtually Free .. - Müller (Correct)

the rank of the fundamental group 1 ( $\gamma$ ) of the **graph**  $\gamma$  underlying the above Stallings decomposition of

denote by  $V$  the set of vertices and (geometric) **edges** of  $\gamma$ , respectively. The type  $\gamma$  of

$\gamma$ ) This characterization allows us to **strengthen** the finiteness result [M1, Theorem 3] on

[www.mathematik.uni-bielefeld.de/sfb343/preprints/pr96016.ps.gz](http://www.mathematik.uni-bielefeld.de/sfb343/preprints/pr96016.ps.gz)

A corrected version of the Duchet Kernel Conjecture - Boros, Gurvich (1996) (Correct)

cycles of length 5 or more) are the only connected **graphs** which are not kernel-solvable but after the

conjectured that odd directed cycles are the only **edge** minimal kernel-less connected digraphs i.e. in

is still kernel-less. Clearly, this would **strengthen** the Richardson theorem but recently Apartsin,

[rutcor.rutgers.edu/pub/rrr/reports96/30.ps](http://rutcor.rutgers.edu/pub/rrr/reports96/30.ps)

Strengthening the Gilbert-Varshamov bound - Barg (1998) (Correct)

codes. The unifying idea is to study a certain **graph** constructed on vectors of low weight in the

$V$  :  $f(x) = \sum_{j=1}^n x_j^2$  and  $wt(x) = \sum_{j=1}^n x_j$  and the **edge** set  $E$  :  $E = \{ (a, b) \mid a, b \in V \text{ and } a \neq b \}$

**Strengthening the Gilbert-Varshamov bound** Alexander Barg

[cm.bell-labs.com/cm/ms/who/abarg/postscript/varsh.ps.gz](http://cm.bell-labs.com/cm/ms/who/abarg/postscript/varsh.ps.gz)

The Hardness of Intervalizing Four Colored Caterpillars - Álvarez, Díaz, Serna (1998)

(Correct)

y Abstract The problem of Intervalizing Colored **Graphs** (ICG) has received a lot of attention due to

simple chains attached to the body have at most  $h$  **edges**. In [ADS98] we show that the ICG problem is

is a caterpillar tree, colored with  $k \leq 4$  colors, **strengthen** the cases for which the problem remains

[www.lsi.upc.es/dept/techreps/ps/R98-45.ps.gz](http://www.lsi.upc.es/dept/techreps/ps/R98-45.ps.gz)

A Circular Graph - Counterexample to the Duchet Kernel.. - Apartsin, Ferapontova.. (1996)

(Correct)

DIMACS Technical Report 96-32 August 1996 A Circular **Graph** -Counterexample to the Duchet Kernel Conjecture

cycle, d)  $G$  has no kernel but e) after removing any **edge** from  $G$  the obtained **graph** has a kernel. 1 The

is still kernel-less. Clearly, this would **strengthen** the Richardson theorem. However, here we give a

[dimacs.rutgers.edu/pub/dimacs/TechnicalReports/TechReports/1996/96-32.ps.gz](http://dimacs.rutgers.edu/pub/dimacs/TechnicalReports/TechReports/1996/96-32.ps.gz)

Compact Location Problems (Extended Abstract) - al. (Correct)

[www.zib.de/krumke/Postscript/fstcs93.ps.gz](http://www.zib.de/krumke/Postscript/fstcs93.ps.gz)

Survey of Anders Yeo's papers - In This (Correct)

obtained in my research. Except for standard **graph** theoretical terminology, the relevant terminology

on semicomplete multipartite digraphs, also studied **edge-coloured graphs** and digraphs (see section 4)

[www.math.uvic.ca/other/yeo/PS\\_file/survey\\_AY.ps](http://www.math.uvic.ca/other/yeo/PS_file/survey_AY.ps)

Designing Private Line Networks - Brockmüller, Günlük, Wolsey (1999) (Correct)

design of private line networks. Given a complete **graph**, a subset of its node set (the "hub" set) and

the objective is to install capacity on the **edges** (using several batch sizes and nonlinear costs)

These and related inequalities are then used to **strengthen** the formulations.

Computational results using

[www.ieor.columbia.edu/~oktay/basf.ps](http://www.ieor.columbia.edu/~oktay/basf.ps)

Counting Representable Sets On Simple Graphs - Jeavons (1990) (Correct)

Counting Representable Sets On Simple **Graphs** Peter G. Jeavons Department of Computer Science

a **graph** which has a constraint specified for each **edge** will be referred to as a 'constraint network' Any

vertex consistent. For cycle-free **graphs** we can **strengthen** this statement and show that vertex consistency

[platon.dcs.rhnc.ac.uk/research/compint/publications/constraints/pubs-ps/counting.ps](http://platon.dcs.rhnc.ac.uk/research/compint/publications/constraints/pubs-ps/counting.ps)

[Documents 21 to 40](#) [Previous 20](#) [Next 20](#)

Try your query at: [Google \(CiteSeer\)](#) [Google \(Web\)](#) [CSB](#) [DBLP](#)

CiteSeer - Copyright [NEC](#) and [IST](#)

Find: Searching for **graph and edge and strengthen**.Restrict to: Header Title Order by: Expected citations Hubs Usage Date Try:Google (CiteSeer) Google (Web) CSB DBLP43 documents found. **Order: number of citations.**

A corrected version of the Duchet Kernel Conjecture - Boros, Gurvich (1996) (Correct)  
cycles of length 5 or more) are the only connected **graphs** which are not kernel-solvable  
but after the

conjectured that odd directed cycles are the only **edge** minimal kernel-less connected  
digraphs i.e. in

is still kernel-less. Clearly, this would **strengthen** the Richardson theorem but recently  
Apartsin,

[dimacs.rutgers.edu/pub/dimacs/TechnicalReports/TechReports/1996/96-41.ps.gz](http://dimacs.rutgers.edu/pub/dimacs/TechnicalReports/TechReports/1996/96-41.ps.gz)

The Mixed Vertex Packing Problem - Atamtürk, Nemhauser, Savelsbergh (1998) (Correct)  
mixed 0-1 integer problems. Key words: conflict **graphs**, vertex packing, valid inequalities,  
mixed

over  $E \setminus f(i, j) \mid i, j \in V$  are called binary **edge** inequalities, whereas the inequalities over  $F$   
in the literature. Johnson [7] shows how to **strengthen** simple variable upper bound  
constraints in the

[udaloy.isye.gatech.edu/~mwps/mvp.ps](http://udaloy.isye.gatech.edu/~mwps/mvp.ps)

Multiple Cover Time - Winkler, Zuckerman (Correct)

we define the blanket time of an undirected **graph**  $G$  to be the expected time for a random  
walk to

transition probabilities are biased according to **edge** weights, one obtains a general  
reversible Markov

is true:  $B = O(C)$  If true this would of course **strengthen** all of the many results bounding  
cover time for

[plan9.bell-labs.com/cm/ms/who/pw/papers/multcov.ps](http://plan9.bell-labs.com/cm/ms/who/pw/papers/multcov.ps)

[Documents 41 to 43](#) [Previous 20](#)

Try your query at: [Google \(CiteSeer\)](#) [Google \(Web\)](#) [CSB](#) [DBLP](#)

CiteSeer - Copyright NEC and IST

Find: Searching for **graph and edge and strengthen**.Restrict to: [Header](#) [Title](#) Order by: [Expected citations](#) [Hubs](#) [Usage](#) [Date](#) Try:[Google \(CiteSeer\)](#) [Google \(Web\)](#) [CSB](#) [DBLP](#)43 documents found. **Order: number of citations.**Efficient Routing in All-Optical Networks - Raghavan, Upfal (1994) (Correct) (85 citations)Two Models We model the network as an undirected **graph**. A request consists of a pair of nodes, anthe pair of nodes in each request, and that no **edge** will carry two different signals on the sameThe following facts are easy to verify, and may **strengthen** the reader's intuition about the two types of<ftp.wisdom.weizmann.ac.il/pub/CSreports/rep95/95-08.ps.Z>

---

**One or more of the query terms is very common - only partial results have been returned. Try [Google \(CiteSeer\)](#).**Routing and Admission Control in General Topology.. - Kamath, Palmon, Plotkin (1996)(Correct) (19 citations)Moreover, they assume that the underlying **graph** is complete and that the traffic matrix is fixed $p \log n$  where  $r$  is the maximum fraction of an **edge** bandwidth that can be requested by a singletraffic in long-distance telephone networks. We **strengthen** this model by assuming that the rates of the<theory.stanford.edu/people/kamath/soda96.ps>A Polyhedral Approach to Multicommodity Survivable Network Design - Stoer, Dahl (1994)(Correct) (15 citations)section. We use fairly standard notation from **graph** theory and polyhedral theory, see [4, 18] but ademand can be accommodated even when a single **edge** or node in the network fails. We derive valid and<www.library.usyd.edu.au/Ejournals/NM/68/1/10680149.ps>On Approximation Scheme Preserving Reducibility and its.. - Crescenzi, Trevisan (1995)(Correct) (13 citations)such as the traveling salesman problem or the **graph** coloring problem, determining an optimal solution $V_0$ . Measure: Sum of the weights of the **edges** from  $E$  that have one endpoint in  $V_0$  and one $NP = coNP$ . Finally, in Sect. 4, in order to **strengthen** the above result we characterize the class of[www.cs.columbia.edu/~luca/pubs/PTAS\\_Red\\_Full.ps.Z](www.cs.columbia.edu/~luca/pubs/PTAS_Red_Full.ps.Z)



Ant-Q: A Reinforcement Learning approach to the traveling.. - Gambardella, Dorigo (1995)  
(Correct) (12 citations)

shortest Hamiltonian tours in a weighted complete **graph** (the so called traveling salesman problem, TSP)  
 $N, N = n$ , is the set of cities and  $E$  is the set of **edges** between cities (a fully connected **graph** in the  
we propose Ant-Q, a family of algorithms which **strengthen** the connection between RL, in particular  
[iridia.ulb.ac.be/pub/dorigo/conferences/IC.15-MLC95.ps.gz](http://iridia.ulb.ac.be/pub/dorigo/conferences/IC.15-MLC95.ps.gz)

Separators in Graphs with Negative and Multiple Vertex Weights - Djidjev, Gilbert (1994)  
(Correct) (11 citations)

Separators in **Graphs** with Negative and Multiple Vertex Weights Hristo  
separator in a **graph** is a small set of vertices or **edges** whose removal divides the **graph** into pieces of  
 $k$  sets of weights. These results considerably **strengthen** earlier results of Gilbert, Lipton, and Tarjan:  
[www.dcs.warwick.ac.uk/people/academic/Hristo.Djidjev/papers/multiple-weight.ps.gz](http://www.dcs.warwick.ac.uk/people/academic/Hristo.Djidjev/papers/multiple-weight.ps.gz)

On Polynomial-Time Learnability in the Limit of Strictly.. - Yokomori (1995) (Correct)  
(6 citations)

An SDA is intuitively a state transition **graph** in which the set of labels  $W$  for **edges** is a transition **graph** in which the set of labels  $W$  for **edges** is a finite subset of strings over an alphabet  $\Sigma$ .  
to the class of SDAs again to generalize and **strengthen** the learnability results of SDAs in the new  
[ylab-gw.cs.uec.ac.jp/Papers/./yokomori/sdl.ps.gz](http://ylab-gw.cs.uec.ac.jp/Papers/./yokomori/sdl.ps.gz)

Semi-Definite Relaxations for Minimum Bandwidth and.. - Blum, Konjevod, Ravi, .. (1998)  
(Correct) (6 citations)

1 Introduction Let the vertices of an undirected **graph** be ordered  $1 \leq i \leq n$ . We define the  $1 \leq i \leq n$ . We define the dilation of an **edge**  $(i, j)$  as the difference  $|j - i|$ , i.e. the of the vectors  $v_i$  and add more constraints to **strengthen** the resulting program. The extra constraints we  
[www-math.mit.edu/~vempala/papers/band.ps](http://www-math.mit.edu/~vempala/papers/band.ps)

New Bounds on Crossing Numbers - Pach, Spencer, Tóth (1999) (Correct) (5 citations)

ABSTRACT The crossing number,  $cr(G)$  of a **graph**  $G$  is the least number of crossing points in any  
over all **graphs** with  $n$  vertices and at least  $e$  **edges**. We prove a conjecture of P. Erdos and R. Guy by  
[dimacs.rutgers.edu/pub/dimacs/TechnicalReports/TechReports/1999/99-37.ps.gz](http://dimacs.rutgers.edu/pub/dimacs/TechnicalReports/TechReports/1999/99-37.ps.gz)

Elementary Properties Of The Finite Ranks - Dawar, Doets, Lindell, Weinstein (1998)  
(Correct) (5 citations)

definable over the class of finite directed **graphs** and that this class admits a first-order directed **graph** whose set of nodes is  $V_n$  and whose **edge** relation is  $\leq$ , the set membership relation

'x) 2 Y 8u 2 Y 8v 2 x(u [fvg 2 Y )and (b) **strengthen** 8x(x `u) to "P(u) equals the universe"Note  
[www.cis.upenn.edu/pub/papers/db-research/mscis9624.ps.Z](http://www.cis.upenn.edu/pub/papers/db-research/mscis9624.ps.Z)

Graph-Theoretical Conditions for Inscribability and.. - Dillencourt, Smith (1995) (Correct)  
(5 citations)

**Graph**-Theoretical Conditions for Inscribability and  
[www.neci.nj.nec.com/homepages/wds/graph-th-inscrib.ps](http://www.neci.nj.nec.com/homepages/wds/graph-th-inscrib.ps)

Reliable Communication over Partially Authenticated Networks - Beimel, Franklin (1998)  
(Correct) (4 citations)

pairs sharing keys define a natural "authentication **graph**"which may be quite different from the  
defines a natural "communication **graph**"with an **edge** between two vertices for every channel between two  
[www.deas.harvard.edu/~beimel/Papers/connectivity.ps.gz](http://www.deas.harvard.edu/~beimel/Papers/connectivity.ps.gz)

Combining Semidefinite and Polyhedral Relaxations.. - Helmberg, Poljak.. (1995)  
(Correct) (4 citations)

problem. Let  $G(V, E)$  denote an undirected loopless **graph** on  $n$  vertices  $V = \{1, \dots, n\}$  with **edge** set  
**graph** on  $n$  vertices  $V = \{1, \dots, n\}$  with **edge** set  $E$ . We want to find the maximum clique with inequalities of the cut-polytope can be used to **strengthen** these relaxations. As examples we improve the  
[orion.math.uwaterloo.ca/~hwolkowi/henry/reports/ipco.ps.gz](http://orion.math.uwaterloo.ca/~hwolkowi/henry/reports/ipco.ps.gz)

Finding Hamiltonian Cycles in Delaunay Triangulations Is.. - Dillencourt (1994) (Correct)  
(4 citations)

and Smith have shown that any 1-Hamiltonian planar **graph** is inscribable [15]1 Since 4-connected **graphs**  
 $E(G)$  denote, respectively, the set of vertices and **edges** of a **graph**  $G$ . A Hamiltonian cycle in a **graph**  $G$   
[www.ics.uci.edu/~dillenco/pubs/haminscrib.ps.gz](http://www.ics.uci.edu/~dillenco/pubs/haminscrib.ps.gz)

The Nonapproximability of OBDD Minimization - Sieling (1998) (Correct) (4 citations)

$f(x_1, \dots, x_n)$  is a directed acyclic **graph**, in which we distinguish sinks and non-sink labeled by some variable  $x_i$  and has two outgoing **edges**, one labeled by 0 and the other one labeled by 1.  
ordering problem is known to be NP -complete. We **strengthen** this result by showing that for each constant  $c$   
[ls2-www.informatik.uni-dortmund.de/~sieling/Paper/tr663b.ps.gz](http://ls2-www.informatik.uni-dortmund.de/~sieling/Paper/tr663b.ps.gz)

Data Flow Graphs: System Specification With the Most Unrestricted .. - de Jong (1991)  
(Correct) (3 citations)

Amsterdam, The Netherlands, Feb. 1991. Data flow **graphs**: system specification with the most unrestricted  
be shown, this is accomplished by defining extra **edges** in the **graph** (without carrying any real data) and

[ftp.ics.ele.tue.nl/pub/papers/fv/gjalt\\_edac\\_91.ps.gz](ftp.ics.ele.tue.nl/pub/papers/fv/gjalt_edac_91.ps.gz)

Connectivity and Separating sets of Cages - Tao Jiang (1998) (Correct) (2 citations)

61801 August 14, 1997 Abstract A  $(k, g)$ -cage is a **graph** of minimum order among  $k$ -regular **graphs** with only simple **graphs**. We denote the vertex set and **edge** set of  $G$  by  $V(G)$  and  $E(G)$  respectively. The  $(k, g)$ -cage is  $k$ -connected. In this paper, we **strengthen** their results by showing for  $k \geq 3$  that every

[www.math.uiuc.edu/~j-tao/cage98.ps](http://www.math.uiuc.edu/~j-tao/cage98.ps)

A Remark On Random 2-SAT - Goerdts (1996) (Correct) (1 citation)  
of random formulas. Recall that the formula **graph** of a 2-CNF formula is defined as follows: Its  
and for each clause  $(u \vee v)$  we get 2 directed **edges**  $u \rightarrow v$  and  $v \rightarrow u$  cf. AsPITa79]A formula  
(1 they are shown to be unsatisfiable. We **strengthen** the first result and show that for each "  
[www.tu-chemnitz.de/informatik/HomePages/TI/Papers/1996/2sat.ps.gz](http://www.tu-chemnitz.de/informatik/HomePages/TI/Papers/1996/2sat.ps.gz)

*First 20 documents*   *Next 20*

Try your query at: [Google \(CiteSeer\)](#) [Google \(Web\)](#) [CSB](#) [DBLP](#)

CiteSeer.IST - Copyright NEC and IST

Find: Searching for **label and edge and strengthen**.Restrict to: [Header](#) [Title](#) Order by: [Expected citations](#) [Hubs](#) [Usage](#) [Date](#) Try:[Google \(CiteSeer\)](#) [Google \(Web\)](#) [CSB](#) [DBLP](#)4 documents found. **Order: number of citations.**

[Tracking Human Motion In An Indoor Environment - Cai Mitiche \(1995\)](#) (Correct)  
(9 citations)

of **edge** detection and 2D line extraction, we **label** the lines in the ascending order of their lengths

is depicted in Figure 1. After the preprocessing of **edge** detection and 2D line extraction, we **label** the

ratio and texture information can be added to **strengthen** the weighting of correct matches.  
4.

[rhine.ece.utexas.edu/pub/papers/icip95.ps.Z](http://rhine.ece.utexas.edu/pub/papers/icip95.ps.Z)

**One or more of the query terms is very common - only partial results have been returned. Try [Google \(CiteSeer\)](#).**

[PingPongPlus: Design of an Athletic-Tangible.. - Ishii, Wisneski.. \(1999\)](#) (Correct)  
(8 citations)

more than ever before. We may give a generic **label** "CSCP" ComputerSupported Cooperative Play) to

the user has to customize the tool by scraping the **edge** of the paddle with a knife and sandpaper. The

and sense of kinesthesia can be leveraged to **strengthen** the quality of a collaborative play experience

[tangible.media.mit.edu/groups/tangible/papers/PingPongPlus\\_CHI99/PingPongPlus\\_CHI99.p](http://tangible.media.mit.edu/groups/tangible/papers/PingPongPlus_CHI99/PingPongPlus_CHI99.p)

[The Nonapproximability of OBDD Minimization - Sieling \(1998\)](#) (Correct) (4 citations)

nodes, also called interior nodes. Sinks are **labeled** by some Boolean constant 0 or 1.

Each interior

[ls2-www.informatik.uni-dortmund.de/~sieling/Paper/tr663b.ps.gz](http://ls2-www.informatik.uni-dortmund.de/~sieling/Paper/tr663b.ps.gz)

[Decision tree complexity of Boolean functions - Hajnal \(1992\)](#) (Correct) (1 citation)

decision tree is a rooted binary tree with **labels** on each node and **edge**. Each inner node is **labeled**

a rooted binary tree with **labels** on each node and **edge**. Each inner node is **labeled** by a query. One of the

is called the deterministic model. We obtain a **strengthen** model if we allow randomized or

[www.math.u-szeged.hu/~hajnal/research/papers/dec\\_surv.ps](http://www.math.u-szeged.hu/~hajnal/research/papers/dec_surv.ps)

Try your query at: [Google \(CiteSeer\)](#) [Google \(Web\)](#) [CSB](#) [DBLP](#)

CiteSeer - Copyright [NEC](#) and [IST](#)

Find: [Documents](#)[Citations](#)Searching for **PHRASE** **assertion graph**.Restrict to: [Header](#) [Title](#) Order by: [Expected citations](#) [Hubs](#) [Usage](#) [Date](#) Try:[Google \(CiteSeer\)](#) [Google \(Web\)](#) [CSB](#) [DBLP](#)3 documents found. **Order: number of citations.**[Deductive Model Checking - Sipma, Uribe, Manna \(1996\)](#) ([Correct](#)) ([23 citations](#))temporal safety properties is based on an **assertion graph** similar to the S-refined tableau we use, and[theory.stanford.edu/people/zm/papers/cav96dmc.ps.Z](http://theory.stanford.edu/people/zm/papers/cav96dmc.ps.Z)[Relative Debugging for Parallel Systems - David Abramson \(1997\)](#) ([Correct](#)) ([1 citation](#))to be duplicated for each assertion. In an **assertion graph**, edges are used to transmit tokens between[www.rdt.monash.edu.au/~davida/papers/guardpcw.ps.Z](http://www.rdt.monash.edu.au/~davida/papers/guardpcw.ps.Z)[satGSTe: Combining the Abstraction of GSTE - With The Capacity](#) ([Correct](#))cases [5]GSTe specifications are given as **assertion graphs**. An **assertion graph** is an operationalare given as **assertion graphs**. An **assertion graph** is an operational specification formalism,with the expected behavior described in the graph. **Assertion Graphs** are often cyclic and express behavior[www.cs.chalmers.se/~ms/DCC04/Abstracts/Singerman.ps](http://www.cs.chalmers.se/~ms/DCC04/Abstracts/Singerman.ps)Try your query at: [Google \(CiteSeer\)](#) [Google \(Web\)](#) [CSB](#) [DBLP](#)CiteSeer - Copyright [NEC](#) and [IST](#)